Table 4G

2010 Pediatric Nutrition Surveillance (1)

Kentucky Comparison of Racial and Ethnic Distribution by Metro Area Children Aged < 5 Years (2)

Page: Run Date: 3 / 25 / 11

	Comparison of Racial and Ethnic Distribution													
Metro Area	Number Included in	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other / Unknown						
	Analysis (3)	%	%	%	%	%	%	%						
Lou/Jeff	2,791	9.4	69.7	14.8	0.0	2.3	3.8	0.0						
Metro-Unk	200,805	74.7	11.5	9.0	0.1	0.8	4.0	0.0						
Kentucky	203,596	73.8	12.3	9.1	0.1	0.8	4.0	0.0						
Nation (Prior Year)	8,938,527	31.8	18.7	40.6	0.9	2.6	2.5	3.0						



⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with errors. Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5G 2010 Pediatric Nutrition Surveillance (1) Kentucky

Comparison of Age Distribution by Metro Area Children Aged < 5 Years (2)

Comparison of Age Distribution											
Metro Area	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %							
Lou/Jeff	2,791	38.5	21.7	39.8							
Metro-Unk	200,805	42.8	19.2	38.0							
Kentucky	203,596	42.7	19.3	38.0							
Nation (Prior Year)	8,938,527	34.5	22.6	42.9							



Page:

Run Date: 3 / 25 / 11

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6G 2010 Pediatric Nutrition Surveillance (1) Kentucky

Page: 3 Run Date: 3 / 25 / 11

Comparison of Growth and Anemia Indicators by Metro Area Children Aged < 5 Years (2)

			Comparis	son of Gr	owth ar	nd Aneı	mia Indi	cators		(3,4)				
		Birthweight (5)				Height and Weight								
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight (7)		Low F	emia Hb/Hct 8)		
Metro Area	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% n <u>></u> 95th (Rank)	Number	% (Rank)		
Lou/Jeff	649	13.4 (2)	3.4 (1)	2,678	6.3 (2)	7.3 (1)	12.1 (1)	1,075	14.6 (1)	14.9 (1)	1,706	11.2 (1)		
Metro-Unk	51,197	9.8 (1)	6.3 (2)	192,036	5.9 (1)	7.3 (1)	12.6 (2)	74,114	16.0 (2)	15.6 (2)	97,574	12.3 (2)		
Kentucky	51,846	9.9	6.3	194,714	5.9	7.3	12.6	75,189	16.0	15.6	99,280	12.2		
Nation (Prior Year)	1,961,342	8.9	6.4	8,451,215	6.0	4.3	14.0	3,678,355	5 16.4	14.7	5,524,196	14.9		



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

⁽⁵⁾ Infants born during the reporting period included in the analysis.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁷⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁸⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7G 2010 Pediatric Nutrition Surveillance (1)

Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area Children Aged < 5 Years (3)

Page: 3 / 25 / 11 Run Date:

(2)

		Comp	arison	of Breas	stfeedi	ng, TV Vi	ewing	, and Sm	oking i	n Housel	hold (4,	5)		
		Breastfeeding (6)							Exclusive Breastfeeding (7)				Smoking in Household	
Metro Area	Number	Number % Ever Breastfed (Rank)		Number % Breastfed At Least 6 Months (Rank)		Number % Breastfed At Least 12 Months (Rank)		Number % Breastfed At Least 3 Months (Rank)		Number % Breastfed At Least 6 Months (Rank)		Number % (Rank)		% (Rank)
Lou/Jeff	645	35.8 (2)	495	11.3 (2)	361	6.4 (1)	0	* *	0	* *	1,138	100.0 (1)	2,791	0.0 (1)
Metro-Unk	50,612	38.4 (1)	34,377	13.4 (1)	24,519	6.3 (2)	0	* *	0	* *	77,793	90.9 (2)	200,803	26.0 (2)
Kentucky	51,257	38.3	34,872	13.3	24,880	6.3	0	*	0	*	78,931	91.0	203,594	25.7
Nation (Prior Year)	1,769,1	60 61.7	911,779	27.0	1,092,57	73 18.5	317,037	7 9.9	420,655	5 5.3	1,022,933	3 77.3	4,355,723	10.2



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁷⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6G 2008 - 2010 Pediatric Nutrition Surveillance (1) Kentucky

Page: 5 Run Date: 3 / 25 / 11

Comparison of Growth and Anemia Indicators by Metro Area Children Aged < 5 Years (2)

			Comparis	son of G	owth ar	nd Aneı	mia Indi	cators		(3,4)		
		Birthweight			۸۵	omio						
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
Metro Area	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% n <u>></u> 95th (Rank)	Number	% (Rank)
Lou/Jeff	1,488	14.5 (2)	3.8 (1)	6,748	7.1 (2)	6.7 (1)	12.3 (1)	2,647	15.8 (1)	14.3 (1)	4,423	10.2 (1)
Metro-Unk	135,357	9.8 (1)	6.3 (2)	526,442	6.0 (1)	6.8 (2)	13.1 (2)	203,824	16.3 (2)	15.7 (2)	301,991	12.5 (2)
Kentucky	136,845	9.9	6.2	533,190	6.0	6.8	13.1	206,471	16.3	15.7	306,414	12.5



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

⁽⁵⁾ Infants born during the reporting period included in the analysis.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁷⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁸⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7G 2008 - 2010 Pediatric Nutrition Surveillance (1)

Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area Children Aged < 5 Years (3)

Page: 3 / 25 / 11 Run Date:

(2)

		Breastfeeding (6)							Exclusive Breastfeeding (7)				Smoking in Household	
Metro Area	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Lou/Jeff	2,241	39.1 (1)	1,798	13.2 (1)	1,121	7.8 (1)	0	* *	0	* *	2,893	100.0 (1)	4,765	0.0 (1)
Metro-Unk	187,338	38.6 (2)	125,468	10.2 (2)	87,161	5.0 (2)	0	* *	0	* *	221,011	90.6 (2)	364,217	25.8 (2)
Kentucky	189,579	38.6	127,266	10.2	88,282	5.1	0	*	0	*	223,904	90.7	368,982	25.5



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁷⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.